






Модель	C072			C072/1			C073		
Высота Н (мм)	70			70			70		
Глубина Т (мм)	72			122			133		
Высота оребрения (мм)	60			60			60		
Вес за метр (кг / м)	5,5			7,4			9,0		
$\Phi_L \Delta T 50K$ (Ватт/м)	349			405			593		
Длина L [мм]	$\Phi_s \Delta T 50K$ [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	$\Phi_s \Delta T 50K$ [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	$\Phi_s \Delta T 50K$ [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]
500	175	179	185	203	215	231	297	243	257
600	209	185	194	243	225	244	356	254	271
700	244	192	202	284	234	256	415	266	285
800	279	199	210	324	244	269	474	277	299
900	314	206	218	365	253	282	534	288	313
1000	349	213	227	405	263	294	593	299	327
1100	384	220	235	446	272	307	652	310	340
1200	419	227	243	486	282	320	712	321	354
1300	454	234	251	527	291	332	771	332	368
1400	489	241	260	567	301	345	830	343	382
1500	524	247	268	608	310	358	890	355	396
1600	558	254	276	648	320	370	949	366	410
1700	593	261	284	689	329	383	1008	377	424
1800	628	268	293	729	339	396	1067	388	438
1900	663	275	301	770	348	408	1127	399	452
2000	698	282	309	810	358	421	1186	410	465
2200	768	296	326	891	377	446	1305	432	493
2400	838	309	342	972	396	471	1423	455	521
2600	907	323	359	1053	415	497	1542	477	549
2800	977	337	375	1134	434	522	1660	499	577
3000	1047	351	392	1215	453	547	1779	521	604
3200	1117	364	408	1296	472	573	1898	544	632
3400	1187	378	425	1377	491	598	2016	566	660
3600	1256	392	441	1458	510	623	2135	588	688
3800	1326	406	458	1539	529	649	2253	611	716
4000	1396	419	474	1620	548	674	2372	633	743
4200	1466	433	491	1701	567	699	2491	655	771
4400	1536	447	507	1782	586	724	2609	677	799
4600	1605	461	524	1863	605	750	2728	700	827
4800	1675	474	540	1944	624	775	2846	722	854
5000	1745	488	557	2025	643	800	2965	744	882
5200	1815	502	573	2106	662	826	3084	766	910
5400	1885	516	590	2187	681	851	3202	789	938
5600	1954	530	606	2268	700	876	3321	811	966
5800	2024	543	623	2349	719	902	3439	833	993
6000	2094	557	639	2430	738	927	3558	855	1 021






Модель	C074			C075			C142		
Высота Н (мм)	70			70			140		
Глубина Т (мм)	194			255			72		
Высота оребрения (мм)	60			60			130		
Вес за метр (кг / м)	13,0			17,2			12,2		
$\Phi_L \Delta T 50K$ (Ватт/м)	813			1025			543		
Длина L [мм]	$\Phi_s \Delta T 50K$ [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	$\Phi_s \Delta T 50K$ [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	$\Phi_s \Delta T 50K$ [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]
500	407	303	323	513	360	387	272	240	247
600	488	319	344	615	380	413	326	252	260
700	569	335	364	718	400	439	380	264	273
800	650	352	385	820	420	465	434	275	286
900	732	368	405	923	441	490	489	287	300
1000	813	385	426	1025	461	516	543	299	313
1100	894	401	446	1128	481	542	597	311	326
1200	976	417	467	1230	501	568	652	323	340
1300	1057	434	487	1333	522	593	706	335	353
1400	1138	450	508	1435	542	619	760	347	366
1500	1220	466	528	1538	562	645	815	359	379
1600	1301	483	549	1640	582	671	869	371	393
1700	1382	499	569	1743	603	696	923	383	406
1800	1463	515	590	1845	623	722	977	394	419
1900	1545	532	610	1948	643	748	1032	406	433
2000	1626	548	631	2050	663	774	1086	418	446
2200	1789	581	672	2255	704	825	1195	442	472
2400	1951	614	713	2460	744	877	1303	466	499
2600	2114	646	754	2665	785	928	1412	490	525
2800	2276	679	795	2870	825	980	1520	514	552
3000	2439	712	836	3075	866	1 031	1629	537	579
3200	2602	745	877	3280	906	1 083	1738	561	605
3400	2764	777	918	3485	947	1 134	1846	585	632
3600	2927	810	959	3690	987	1 186	1955	609	658
3800	3089	843	1 000	3895	1 028	1 237	2063	633	685
4000	3252	876	1 041	4100	1 068	1 289	2172	656	711
4200	3415	908	1 082	4305	1 108	1 340	2281	680	738
4400	3577	941	1 123	4510	1 149	1 392	2389	704	764
4600	3740	974	1 164	4715	1 189	1 443	2498	728	791
4800	3902	1 007	1 205	4920	1 230	1 495	2606	752	818
5000	4065	1 039	1 246	5125	1 270	1 546	2715	775	844
5200	4228	1 072	1 287	5330	1 311	1 598	2824	799	871
5400	4390	1 105	1 328	5535	1 351	1 649	2932	823	897
5600	4553	1 138	1 369	5740	1 392	1 701	3041	847	924
5800	4715	1 170	1 410	5945	1 432	1 752	3149	871	950
6000	4878	1 203	1 451	6150	1 473	1 804	3258	894	977





Модель	C142/1			C143			C144		
Высота Н (мм)	140			140			140		
Глубина Т (мм)	122			133			194		
Высота оребрения (мм)	130			130			130		
Вес за метр (кг / м)	15,6			20,5			28,6		
$\Phi_L \Delta T 50K$ (Ватт/м)	727			878			1185		
Длина L [мм]	$\Phi_s \Delta T 50K$ [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	$\Phi_s \Delta T 50K$ [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	$\Phi_s \Delta T 50K$ [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]
500	364	295	311	439	328	342	593	414	435
600	436	314	333	527	351	368	711	446	470
700	509	334	356	615	374	394	830	477	506
800	582	353	378	702	397	419	948	509	542
900	654	373	401	790	420	445	1067	540	577
1000	727	392	424	878	443	471	1185	572	613
1100	800	412	446	966	466	497	1304	603	649
1200	872	431	469	1054	489	522	1422	635	684
1300	945	451	491	1141	512	548	1541	666	720
1400	1018	470	514	1229	535	574	1659	698	756
1500	1091	489	537	1317	558	600	1778	729	791
1600	1163	509	559	1405	581	625	1896	761	827
1700	1236	528	582	1493	604	651	2015	792	863
1800	1309	548	604	1580	627	677	2133	824	898
1900	1381	567	627	1668	650	703	2252	855	934
2000	1454	587	650	1756	673	729	2370	887	970
2200	1599	626	695	1932	719	780	2607	950	1 041
2400	1745	664	740	2107	765	832	2844	1 013	1 112
2600	1890	703	785	2283	811	883	3081	1 076	1 183
2800	2036	742	830	2458	857	935	3318	1 139	1 255
3000	2181	781	876	2634	903	986	3555	1 202	1 326
3200	2326	820	921	2810	949	1 038	3792	1 265	1 397
3400	2472	859	966	2985	995	1 089	4029	1 328	1 469
3600	2617	898	1 011	3161	1 041	1 141	4266	1 391	1 540
3800	2763	937	1 056	3336	1 087	1 192	4503	1 454	1 611
4000	2908	976	1 101	3512	1 133	1 244	4740	1 517	1 683
4200	3053	1 014	1 147	3688	1 179	1 296	4977	1 580	1 754
4400	3199	1 053	1 192	3863	1 225	1 347	5214	1 643	1 825
4600	3344	1 092	1 237	4039	1 271	1 399	5451	1 706	1 896
4800	3490	1 131	1 282	4214	1 317	1 450	5688	1 770	1 968
5000	3635	1 170	1 327	4390	1 364	1 502	5925	1 833	2 039
5200	3780	1 209	1 373	4566	1 410	1 553	6162	1 896	2 110
5400	3926	1 248	1 418	4741	1 456	1 605	6399	1 959	2 182
5600	4071	1 287	1 463	4917	1 502	1 656	6636	2 022	2 253
5800	4217	1 326	1 508	5092	1 548	1 708	6873	2 085	2 324
6000	4362	1 364	1 553	5268	1 594	1 759	7110	2 148	2 396




Модель	C145			C212			C212/1		
Высота Н (мм)	140			210			210		
Глубина Т (мм)	255			72			122		
Высота оребрения (мм)	130			200			200		
Вес за метр (кг / м)	36,8			18,9			23,8		
$\Phi_L \Delta T 50K$ (Ватт/м)	1486			691			977		
Длина L [мм]	$\Phi_s \Delta T 50K$ [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	$\Phi_s \Delta T 50K$ [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	$\Phi_s \Delta T 50K$ [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]
500	743	518	546	346	291	297	489	334	350
600	892	561	594	415	306	314	586	356	375
700	1040	603	642	484	321	331	684	377	399
800	1189	645	689	553	336	347	782	399	424
900	1337	688	737	622	351	364	879	420	449
1000	1486	730	785	691	366	380	977	442	474
1100	1635	773	833	760	382	397	1075	464	498
1200	1783	815	881	829	397	413	1172	485	523
1300	1932	857	929	898	412	430	1270	507	548
1400	2080	900	977	967	427	446	1368	528	573
1500	2229	942	1 025	1037	442	463	1466	550	597
1600	2378	985	1 073	1106	457	479	1563	572	622
1700	2526	1 027	1 121	1175	473	496	1661	593	647
1800	2675	1 069	1 169	1244	488	513	1759	615	672
1900	2823	1 112	1 217	1313	503	529	1856	636	696
2000	2972	1 154	1 265	1382	518	546	1954	658	721
2200	3269	1 239	1 361	1520	549	579	2149	701	770
2400	3566	1 324	1 456	1658	579	612	2345	744	820
2600	3864	1 409	1 552	1797	609	645	2540	788	869
2800	4161	1 494	1 648	1935	640	678	2736	831	919
3000	4458	1 578	1 744	2073	670	711	2931	874	968
3200	4755	1 663	1 840	2211	700	744	3126	917	1 018
3400	5052	1 748	1 936	2349	731	777	3322	960	1 067
3600	5350	1 833	2 032	2488	761	810	3517	1 004	1 117
3800	5647	1 918	2 127	2626	791	844	3713	1 047	1 166
4000	5944	2 003	2 223	2764	822	877	3908	1 090	1 216
4200	6241	2 087	2 319	2902	852	910	4103	1 133	1 265
4400	6538	2 172	2 415	3040	882	943	4299	1 176	1 315
4600	6836	2 257	2 511	3179	913	976	4494	1 219	1 364
4800	7133	2 342	2 607	3317	943	1 009	4690	1 263	1 414
5000	7430	2 427	2 703	3455	973	1 042	4885	1 306	1 463
5200	7727	2 512	2 798	3593	1 004	1 075	5080	1 349	1 513
5400	8024	2 596	2 894	3731	1 034	1 108	5276	1 392	1 562
5600	8322	2 681	2 990	3870	1 065	1 141	5471	1 435	1 612
5800	8619	2 766	3 086	4008	1 095	1 175	5667	1 479	1 661
6000	8916	2 851	3 182	4146	1 125	1 208	5862	1 522	1 711




									
Модель	C213			C214			C215		
Высота Н (мм)	210			210			210		
Глубина Т (мм)	133			194			255		
Высота оребрения (мм)	200			200			200		
Вес за метр (кг / м)	31,5			43,9			56,4		
$\Phi_L \Delta T 50K$ (Ватт/м)	1127			1640			2092		
Длина L [мм]	$\Phi_s \Delta T 50K$ [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	$\Phi_s \Delta T 50K$ [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	$\Phi_s \Delta T 50K$ [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]
500	564	367	381	820	485	505	1046	593	620
600	676	393	410	984	522	547	1255	642	675
700	789	419	438	1148	560	589	1464	691	730
800	902	445	467	1312	598	631	1674	740	784
900	1014	471	495	1476	635	672	1883	789	839
1000	1127	496	524	1640	673	714	2092	839	894
1100	1240	522	553	1804	711	756	2301	888	948
1200	1352	548	581	1968	748	798	2510	937	1 003
1300	1465	574	610	2132	786	840	2720	986	1 058
1400	1578	600	639	2296	823	881	2929	1 035	1 113
1500	1691	626	667	2460	861	923	3138	1 085	1 167
1600	1803	652	696	2624	899	965	3347	1 134	1 222
1700	1916	678	725	2788	936	1 007	3556	1 183	1 277
1800	2029	704	753	2952	974	1 048	3766	1 232	1 332
1900	2141	729	782	3116	1 012	1 090	3975	1 281	1 386
2000	2254	755	811	3280	1 049	1 132	4184	1 331	1 441
2200	2479	807	868	3608	1 125	1 215	4602	1 429	1 550
2400	2705	859	925	3936	1 200	1 299	5021	1 527	1 660
2600	2930	911	982	4264	1 275	1 383	5439	1 626	1 769
2800	3156	962	1 040	4592	1 350	1 466	5858	1 724	1 879
3000	3381	1 014	1 097	4920	1 426	1 550	6276	1 823	1 988
3200	3606	1 066	1 154	5248	1 501	1 633	6694	1 921	2 098
3400	3832	1 118	1 212	5576	1 576	1 717	7113	2 020	2 207
3600	4057	1 169	1 269	5904	1 652	1 800	7531	2 118	2 317
3800	4283	1 221	1 326	6232	1 727	1 884	7950	2 216	2 426
4000	4508	1 273	1 384	6560	1 802	1 967	8368	2 315	2 535
4200	4733	1 325	1 441	6888	1 877	2 051	8786	2 413	2 645
4400	4959	1 376	1 498	7216	1 953	2 134	9205	2 512	2 754
4600	5184	1 428	1 555	7544	2 028	2 218			
4800	5410	1 480	1 613	7872	2 103	2 302			
5000	5635	1 532	1 670	8200	2 179	2 385			
5200	5860	1 583	1 727	8528	2 254	2 469			
5400	6086	1 635	1 785	8856	2 329	2 552			
5600	6311	1 687	1 842	9184	2 404	2 636			
5800	6537	1 739	1 899						
6000	6762	1 790	1 956						



Модель	C282			C282/1			C283		
Высота Н (мм)	280			280			280		
Глубина Т (мм)	72			122			133		
Высота оребрения (мм)	270			270			270		
Вес за метр (кг / м)	25,1			30,7			41,0		
$\Phi_L \Delta T 50K$ (Ватт/м)	809			1154			1363		
Длина L [мм]	$\Phi_s \Delta T 50K$ [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	$\Phi_s \Delta T 50K$ [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	$\Phi_s \Delta T 50K$ [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]
500	405	350	357	577	398	413	682	433	447
600	485	369	378	692	425	444	818	467	483
700	566	389	399	808	453	475	954	500	520
800	647	408	419	923	481	506	1090	534	556
900	728	428	440	1039	509	537	1227	567	592
1000	809	447	461	1154	537	568	1363	601	628
1100	890	467	482	1269	565	599	1499	634	665
1200	971	486	503	4,85	592	630	1636	668	701
1300	1052	506	524	1500	620	661	1772	701	737
1400	1133	525	544	1616	648	692	1908	735	773
1500	1214	545	565	1731	676	723	2045	768	810
1600	1294	564	586	1846	704	754	2181	802	846
1700	1375	583	607	1962	731	785	2317	835	882
1800	1456	603	628	2077	759	816	2453	868	918
1900	1537	622	649	2193	787	847	2590	902	954
2000	1618	642	669	2308	815	878	2726	935	991
2200	1780	681	711	2539	871	940	2999	1 002	1 063
2400	1942	720	753	2770	926	1 002	3271	1 069	1 136
2600	2103	759	794	3000	982	1 064	3544	1 136	1 208
2800	2265	798	836	3231	1 037	1 126	3816	1 203	1 281
3000	2427	836	878	3462	1 093	1 188	4089	1 270	1 353
3200	2589	875	919	3,973	1 149	1 250	4362	1 337	1 425
3400	2751	914	961	3924	1 204	1 311	4634	1 404	1 498
3600	2912	953	1 003	4154	1 260	1 373	4907	1 471	1 570
3800	3074	992	1 044	4385	1 316	1 435	5179	1 538	1 643
4000	3236	1 031	1 086	4616	1 371	1 497	5452	1 605	1 715
4200	3398	1 070	1 128	4847	1 427	1 559	5725	1 672	1 788
4400	3560	1 109	1 169	5078	1 483	1 621	5997	1 739	1 860
4600	3721	1 148	1 211	5308	1 538	1 683	6270	1 806	1 933
4800	3883	1 187	1 253	5539	1 594	1 745	6542	1 873	2 005
5000	4045	1 226	1 294	5770	1 650	1 807	6815	1 939	2 078
5200	4207	1 264	1 336	6001	1 705	1 869	7088	2 006	2 150
5400	4369	1 303	1 378	6232	1 761	1 931	7360	2 073	2 223
5600	4530	1 342	1 419	6462	1 816	1 993	7633	2 140	2 295
5800	4692	1 381	1 461	6693	1 872	2 055	7905	2 207	2 368
6000	4854	1 420	1 503	6924	1 928	2 117	818	2 274	2 440



Модель	C284			C285		
Высота Н (мм)	280			280		
Глубина Т (мм)	194			255		
Высота оребрения (мм)	270			270		
Вес за метр (кг / м)	59,0			76,3		
$\Phi_s \Delta T 50K$ (Ватт/м)	1884			2395		
Длина L [мм]	$\Phi_s \Delta T 50K$ [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	$\Phi_s \Delta T 50K$ [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]
500	942	579	599	1198	713	740
600	1130	627	652	1437	777	810
700	1319	676	704	1677	840	879
800	1507	724	757	1916	904	948
900	1696	772	810	2156	968	1 018
1000	1884	821	862	2395	1 032	1 087
1100	2072	869	915	2635	1 096	1 157
1200	2261	918	967	2874	1 160	1 226
1300	2449	966	1 020	3114	1 224	1 296
1400	2638	1 015	1 072	3353	1 288	1 365
1500	2826	1 063	1 125	3593	1 352	1 434
1600	3014	1 112	1 178	3832	1 416	1 504
1700	3203	1 160	1 230	4072	1 479	1 573
1800	3391	1 208	1 283	4311	1 543	1 643
1900	3580	1 257	1 335	4551	1 607	1 712
2000	3768	1 305	1 388	4790	1 671	1 781
2200	4145	1 402	1 493	5269	1 799	1 920
2400	4522	1 499	1 598	5748	1 927	2 059
2600	4898	1 596	1 703	6227	2 055	2 198
2800	5275	1 693	1 809	6706	2 182	2 337
3000	5652	1 790	1 914	7185	2 310	2 476
3200	6029	1 887	2 019	7664	2 438	2 614
3400	6406	1 984	2 124			
3600	6782	2 080	2 229			
3800	7159	2 177	2 334			
4000	7536	2 274	2 439			
4200	7913	2 371	2 545			
4400						
4600						
4800						
5000						
5200						
5400						
5600						
5800						
6000						

									
Модель	C072/1W			C073/1W			C074/1W		
Высота Н (мм)	70			70			70		
Глубина Т (мм)	133			194			255		
Высота оребрения (мм)	60			60			60		
Вес за метр (кг / м)	8,8			12,4			16,1		
$\Phi_s \Delta T 50K$ (Ватт/м)	458			720			933		
Длина L [мм]	$\Phi_s \Delta T 50K$ [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	$\Phi_s \Delta T 50K$ [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	$\Phi_s \Delta T 50K$ [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]
500	229	328	343	360	388	410	467	443	473
600	275	342	361	432	405	433	560	466	502
700	321	357	379	504	423	455	653	489	530
800	366	372	397	576	441	477	746	512	559
900	412	386	415	648	459	499	840	535	588
1000	458	401	432	720	476	522	933	558	617
1100	504	416	450	792	494	544	1026	581	646
1200	550	430	468	864	512	566	1120	604	674
1300	595	445	486	936	530	588	1213	626	703
1400	641	460	504	1008	547	611	1306	649	732
1500	687	474	522	1080	565	633	1400	672	761
1600	733	489	539	1152	583	655	1493	695	789
1700	779	504	557	1224	600	677	1586	718	818
1800	824	518	575	1296	618	700	1679	741	847
1900	870	533	593	1368	636	722	1773	764	876
2000	916	548	611	1440	654	744	1866	786	904
2200	1008	577	646	1584	689	789	2053	832	962
2400	1099	606	682	1728	724	833	2239	878	1 020
2600	1191	636	717	1872	760	878	2426	924	1 077
2800	1282	665	753	2016	795	922	2612	969	1 135
3000	1374	694	789	2160	831	967	2799	1 015	1 192
3200	1466	723	824	2304	866	1 011	2986	1 061	1 250
3400	1557	753	860	2448	902	1 056	3172	1 107	1 307
3600	1649	782	895	2592	937	1 100	3359	1 152	1 365
3800	1740	811	931	2736	972	1 145	3545	1 198	1 422
4000	1832	841	967	2880	1 008	1 189	3732	1 244	1 480
4200	1924	870	1 002	3024	1 043	1 234	3919	1 290	1 537
4400	2015	899	1 038	3168	1 079	1 278	4105	1 335	1 595
4600	2107	929	1 074	3312	1 114	1 323	4292	1 381	1 652
4800	2198	958	1 109	3456	1 150	1 367	4478	1 427	1 710
5000	2290	987	1 145	3600	1 185	1 412	4665	1 473	1 768
5200	2382	1 017	1 180	3744	1 220	1 456	4852	1 518	1 825
5400	2473	1 046	1 216	3888	1 256	1 500	5038	1 564	1 883
5600	2565	1 075	1 252	4032	1 291	1 545	5225	1 610	1 940
5800	2656	1 105	1 287	4176	1 327	1 589	5411	1 656	1 998
6000	2748	1 134	1 323	4320	1 362	1 634	5598	1 701	2 055

Модель		C075/1W		C142/1W		C143/1W			
Высота Н (мм)		70		140		140			
Глубина Т (мм)		316		133		194			
Высота оребрения (мм)		60		130		130			
Вес за метр (кг / м)		19,5		17,3		25,5			
Φ _s ΔТ 50К (Ватт/м)		1097		723		1145			
Длина L [мм]	Φ _s ΔТ 50К [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _s ΔТ 50К [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	Φ _s ΔТ 50К [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]
500	549	502	539	362	414	430	573	481	504
600	658	529	573	434	439	458	687	512	539
700	768	556	607	506	465	487	802	543	575
800	878	583	641	578	490	515	916	574	610
900	987	610	675	651	516	544	1031	605	645
1000	1097	637	709	723	541	573	1145	635	681
1100	1207	663	744	795	567	601	1260	666	716
1200	1316	690	778	868	592	630	1374	697	751
1300	1426	717	812	940	618	659	1489	728	787
1400	1536	744	846	1012	643	687	1603	759	822
1500	1646	771	880	1085	669	716	1718	789	857
1600	1755	798	914	1157	694	744	1832	820	893
1700	1865	825	948	1229	719	773	1947	851	928
1800	1975	851	983	1301	745	802	2061	882	963
1900	2084	878	1 017	1374	770	830	2176	913	999
2000	2194	905	1 051	1446	796	859	2290	943	1 034
2200	2413	959	1 119	1591	847	916	2519	1 005	1 105
2400	2633	1 013	1 187	1735	898	973	2748	1 067	1 175
2600	2852	1 066	1 256	1880	949	1 031	2977	1 128	1 246
2800	3072	1 120	1 324	2024	1 000	1 088	3206	1 190	1 317
3000	3291	1 174	1 392	2169	1 051	1 145	3435	1 251	1 387
3200	3510	1 227	1 461	2314	1 102	1 202	3664	1 313	1 458
3400	3730	1 281	1 529	2458	1 153	1 260	3893	1 375	1 529
3600	3949	1 335	1 597	2603	1 203	1 317	4122	1 436	1 599
3800	4169	1 389	1 665	2747	1 254	1 374	4351	1 498	1 670
4000	4388	1 442	1 734	2892	1 305	1 431	4580	1 560	1 741
4200	4607	1 496	1 802	3037	1 356	1 489	4809	1 621	1 811
4400	4827	1 550	1 870	3181	1 407	1 546	5038	1 683	1 882
4600	5046	1 603	1 938	3326	1 458	1 603	5267	1 744	1 953
4800	5266	1 657	2 007	3470	1 509	1 660	5496	1 806	2 023
5000	5485	1 711	2 075	3615	1 560	1 718	5725	1 868	2 094
5200	5704	1 765	2 143	3760	1 611	1 775	5954	1 929	2 165
5400	5924	1 818	2 212	3904	1 662	1 832	6183	1 991	2 235
5600	6143	1 872	2 280	4049	1 713	1 889	6412	2 052	2 306
5800	6363	1 926	2 348	4193	1 764	1 946	6641	2 114	2 377
6000	6582	1 980	2 416	4338	1 815	2 004	6870	2 176	2 447










Модель	C144/1W			C145/1W			C212/1W		
Высота Н (мм)	140			140			210		
Глубина Т (мм)	255			316			133		
Высота оребрения (мм)	130			130			200		
Вес за метр (кг / м)	33,7			41,7			25,9		
$\Phi_s \Delta T 50K$ (Ватт/м)	1372			1796			934		
Длина L [мм]	$\Phi_s \Delta T 50K$ [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	$\Phi_s \Delta T 50K$ [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	$\Phi_s \Delta T 50K$ [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]
500	686	563	593	898	669	706	467	464	479
600	823	602	637	1078	720	763	560	493	511
700	960	641	682	1257	770	821	654	521	544
800	1098	679	726	1437	820	878	747	550	576
900	1235	718	771	1616	870	936	841	579	608
1000	1372	756	815	1796	921	993	934	608	640
1100	1509	795	860	1976	971	1 051	1027	637	672
1200	1646	834	905	2155	1 021	1 109	1121	666	704
1300	1784	872	949	2335	1 071	1 166	1214	695	736
1400	1921	911	994	2514	1 122	1 224	1308	724	769
1500	2058	950	1 038	2694	1 172	1 281	1401	753	801
1600	2195	988	1 083	2874	1 222	1 339	1494	782	833
1700	2332	1 027	1 127	3053	1 273	1 396	1588	811	865
1800	2470	1 065	1 172	3233	1 323	1 454	1681	840	897
1900	2607	1 104	1 216	3412	1 373	1 511	1775	869	929
2000	2744	1 143	1 261	3592	1 423	1 569	1868	898	961
2200	3018	1 220	1 350	3951	1 524	1 684	2055	956	1 026
2400	3293	1 297	1 439	4310	1 624	1 799	2242	1 014	1 090
2600	3567	1 374	1 528	4670	1 725	1 914	2428	1 072	1 154
2800	3842	1 452	1 617	5029	1 825	2 029	2615	1 130	1 219
3000	4116	1 529	1 706	5388	1 926	2 144	2802	1 188	1 283
3200	4390	1 606	1 795	5747	2 027	2 260	2989	1 246	1 347
3400	4665	1 683	1 884	6106	2 127	2 375	3176	1 304	1 411
3600	4939	1 761	1 973	6466	2 228	2 490	3362	1 362	1 476
3800	5214	1 838	2 062	6825	2 328	2 605	3549	1 420	1 540
4000	5488	1 915	2 151	7184	2 429	2 720	3736	1 478	1 604
4200	5762	1 992	2 240	7543	2 529	2 835	3923	1 536	1 669
4400	6037	2 070	2 329	7902	2 630	2 950	4110	1 594	1 733
4600	6311	2 147	2 418	8262	2 730	3 065	4296	1 652	1 797
4800	6586	2 224	2 507	8621	2 831	3 180	4483	1 710	1 861
5000	6860	2 301	2 597	8980	2 931	3 295	4670	1 768	1 926
5200	7134	2 379	2 686	9339	3 032	3 411	4857	1 826	1 990
5400	7409	2 456	2 775	9698	3 132	3 526	5044	1 884	2 054
5600	7683	2 533	2 864	10058	3 233	3 641	5230	1 942	2 119
5800	7958	2 610	2 953	10417	3 333	3 756	5417	2 000	2 183
6000	8232	2 688	3 042				5604	2 058	2 247

Модель	C213/1W			C214/1W			C215/1W		
Высота Н (мм)	210			210			210		
Глубина Т (мм)	194			255			316		
Высота оребрения (мм)	200			200			200		
Вес за метр (кг / м)	38,6			51,2			63,8		
$\Phi_s \Delta T 50K$ (Ватт/м)	1432			1911			2372		
Длина L [мм]	$\Phi_s \Delta T 50K$ [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	$\Phi_s \Delta T 50K$ [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	$\Phi_s \Delta T 50K$ [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]
500	716	537	560	956	649	679	1186	770	807
600	859	573	601	1147	697	732	1423	830	874
700	1002	610	641	1338	744	785	1660	891	942
800	1146	646	682	1529	792	839	1898	951	1 009
900	1289	682	723	1720	839	892	2135	1 011	1 077
1000	1432	718	764	1911	887	946	2372	1 071	1 144
1100	1575	755	805	2102	934	999	2609	1 132	1 212
1200	1718	791	845	2293	982	1 052	2846	1 192	1 279
1300	1862	827	886	2484	1 029	1 106	3084	1 252	1 347
1400	2005	863	927	2675	1 077	1 159	3321	1 312	1 414
1500	2148	900	968	2867	1 124	1 213	3558	1 372	1 482
1600	2291	936	1 008	3058	1 172	1 266	3795	1 433	1 549
1700	2434	972	1 049	3249	1 219	1 319	4032	1 493	1 617
1800	2578	1 008	1 090	3440	1 267	1 373	4270	1 553	1 684
1900	2721	1 045	1 131	3631	1 314	1 426	4507	1 613	1 752
2000	2864	1 081	1 172	3822	1 362	1 480	4744	1 673	1 819
2200	3150	1 153	1 253	4204	1 457	1 586	5218	1 794	1 954
2400	3437	1 226	1 335	4586	1 552	1 693	5693	1 914	2 089
2600	3723	1 298	1 416	4969	1 647	1 800	6167	2 035	2 224
2800	4010	1 371	1 498	5351	1 742	1 907	6642	2 155	2 359
3000	4296	1 444	1 579	5733	1 837	2 014	7116	2 275	2 494
3200	4582	1 516	1 661	6115	1 932	2 120	7590	2 396	2 629
3400	4869	1 589	1 743	6497	2 027	2 227	8065	2 516	2 764
3600	5155	1 661	1 824	6880	2 122	2 334	8539	2 637	2 899
3800	5442	1 734	1 906	7262	2 217	2 441	9014	2 757	3 034
4000	5728	1 806	1 987	7644	2 312	2 548			
4200	6014	1 879	2 069	8026	2 407	2 654			
4400	6301	1 951	2 150	8408	2 502	2 761			
4600	6587	2 024	2 232	8791	2 597	2 868			
4800	6874	2 096	2 314	9173	2 691	2 975			
5000	7160	2 169	2 395						
5200	7446	2 241	2 477						
5400	7733	2 314	2 558						
5600	8019	2 386	2 640						
5800	8306	2 459	2 721						
6000	8592	2 531	2 803						

Модель	C282/1W			C283/1W			C284/1W		
Высота Н (мм)	280			280			280		
Глубина Т (мм)	133			194			255		
Высота оребрения (мм)	270			270			270		
Вес за метр (кг / м)	34,3			51,7			69,0		
$\Phi_s \Delta T 50K$ (Ватт/м)	1110			1580			2167		
Длина L [мм]	$\Phi_s \Delta T 50K$ [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	$\Phi_s \Delta T 50K$ [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]	$\Phi_s \Delta T 50K$ [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]
500	555	531	547	790	611	634	1084	752	781
600	666	567	586	948	657	684	1300	811	847
700	777	603	625	1106	702	734	1517	871	912
800	888	639	664	1264	748	784	1734	931	978
900	999	675	704	1422	793	834	1950	991	1 044
1000	1110	711	743	1580	839	884	2167	1 050	1 109
1100	1221	748	782	1738	884	934	2384	1 110	1 175
1200	1332	784	821	1896	930	984	2600	1 170	1 241
1300	1443	820	861	2054	975	1 034	2817	1 230	1 306
1400	1554	856	900	2212	1 021	1 084	3034	1 289	1 372
1500	1665	892	939	2370	1 066	1 134	3251	1 349	1 438
1600	1776	928	978	2528	1 111	1 184	3467	1 409	1 503
1700	1887	964	1 018	2686	1 157	1 234	3684	1 469	1 569
1800	1998	1 000	1 057	2844	1 202	1 284	3901	1 528	1 635
1900	2109	1 036	1 096	3002	1 248	1 334	4117	1 588	1 700
2000	2220	1 072	1 135	3160	1 293	1 384	4334	1 648	1 766
2200	2442	1 145	1 214	3476	1 384	1 484	4767	1 767	1 897
2400	2664	1 217	1 292	3792	1 475	1 584	5201	1 887	2 028
2600	2886	1 289	1 371	4108	1 566	1 684	5634	2 006	2 160
2800	3108	1 361	1 449	4424	1 657	1 784	6068	2 126	2 291
3000	3330	1 433	1 528	4740	1 748	1 884	6501	2 245	2 422
3200	3552	1 506	1 606	5056	1 839	1 984	6934	2 365	2 554
3400	3774	1 578	1 685	5372	1 930	2 084	7368	2 484	2 685
3600	3996	1 650	1 763	5688	2 021	2 184	7801	2 604	2 816
3800	4218	1 722	1 842	6004	2 112	2 284	8235	2 723	2 948
4000	4440	1 794	1 920	6320	2 203	2 384			
4200	4662	1 867	1 999	6636	2 293	2 484			
4400	4884	1 939	2 077	6952	2 384	2 584			
4600	5106	2 011	2 156	7268	2 475	2 684			
4800	5328	2 083	2 234	7584	2 566	2 784			
5000	5550	2 155	2 313						
5200	5772	2 228	2 391						
5400	5994	2 300	2 470						
5600	6216	2 372	2 548						
5800	6438	2 444	2 627						
6000	6660	2 516	2 705						



Модель		C285/1W	
Высота Н (мм)		280	
Глубина Т (мм)		316	
Высота оребрения (мм)		270	
Вес за метр (кг / м)		84,6	
$\Phi_s \Delta T 50K$ (Ватт/м)		2870	
Длина L [мм]	$\Phi_s \Delta T 50K$ [Ватт]	Цена без решетки [Евро]	Цена с решеткой [Евро]
500	1435	901	937
600	1722	977	1 021
700	2009	1 053	1 104
800	2296	1 129	1 188
900	2583	1 205	1 271
1000	2870	1 282	1 354
1100	3157	1 358	1 438
1200	3444	1 434	1 521
1300	3731	1 510	1 605
1400	4018	1 586	1 688
1500	4305	1 662	1 771
1600	4592	1 738	1 855
1700	4879	1 814	1 938
1800	5166	1 891	2 022
1900	5453	1 967	2 105
2000	5740	2 043	2 189
2200	6314	2 195	2 355
2400	6888	2 347	2 522
2600	7462	2 500	2 689
2800	8036	2 652	2 856
3000			
3200			
3400			
3600			
3800			
4000			
4200			
4400			
4600			
4800			
5000			
5200			
5400			
5600			
5800			
6000			

Виды подключений	Цена в Евро			Виды подключений	Цена в Евро G1/2"
	G3/8"	G1/2"	G3/4"		
		--			102,53
		--			12,13
		--			12,13
		11,03		N69/89 ТВВ	110,25
		20,95		N96/98 ТВВ	211,68
		20,95			

Повышенное давление

10 bar +12%